
# Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



aSB249 .A3

# COTTON VARIETIES PLANTED 1966-1970

AUG 78 2014



UNITED STATES DEPARTMENT OF AGRICULTURE
Consumer and Marketing Service Cotton Division
Memphis, Tennessee

July 1970

### CONTENTS

Table	No.	Page No.
	Introduction	1 1 2
1.	Average fiber test results for varieties of cotton grown commercially in the United States, crop of 1969	3
2.	Varieties by states and United States, crop of 1970	4-5
3.	Varieties by states Virginia, North Carolina, South Carolina, Georgia	6 7 8 9
	Varieties by classing office territories and by counties	
4. 5. 6. 7. 8. 9.	Raleigh Classing Office	11 12 13 13 14 15
10. 11. 12. 13. 14. 15. 16.	Greenwood Classing Office	16 16 17 18 18 19 20 20
18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30.	Altus Classing Office.  Dallas Classing Office.  Austin Classing Office.  Corpus Christi Classing Office.  Harlingen Classing Office.  Abilene Classing Office.  Lubbock Classing Office.  El Paso Classing Office.  Carlsbad Classing Office.  Phoenix Classing Office.  Fresno Classing Office.  Bakersfield Classing Office.  El Centro Classing Office.  Estimated percentage of American Pima cotton acreage planted to specified	21 22 23 23 24 24 25 26 26 27 27 27 28 28
32.	varieties, by states, 1966-1970	29
	varieties, by classing office territories, crop of 1970	30

# Cotton Varieties Planted, United States

Estimates of the percentages of the various varieties of cotton planted in the United States in 1970, by counties, Smith-Doxey cotton classing office territories and states are presented in this report. Comparative variety data for the four years 1966-1969 are shown by states. The variety data presented herein are based primarily on estimates furnished by cotton ginners for the territories served by their gins. Supplemental information is obtained from others closely related with cotton farming in their respective areas, such as seed breeders, seed dealers, farmers and county agents. These estimates should serve as reliable guides as to the geographic distribution of various varieties grown throughout the Cotton Belt.

Nearly three-fourths of the cotton acreage in the United States this season is planted to four general varieties - Deltapine, Stoneville, Acala and Lankart. A percentage distribution of the six leading general varieties planted in 1970, with comparisons for the four preceding years, is shown at the foot of this page. All strains of each particular variety are combined for the purpose of this comparison.

Deltapine continues as the leading variety of cotton planted in the United States for the second consecutive year, accounting for 28 percent of the total 1970 acreage. This compares with 26 percent a year earlier and 19 percent two years ago. Deltapine 16, the most popular strain, accounts for 26 percent of the total acreage this year. Deltapine is the principal variety planted in Alabama, Arizona, Arkansas, Louisiana, Mississippi and Tennessee.

Stoneville is the second leading variety of cotton planted this year. Estimates indicate that this variety comprises 21 percent of total acreage against 17 percent last year. Stoneville 213, the leading Stoneville strain, accounts for 16 percent of the total planted acreage. Stoneville is the major variety planted in Missouri and also accounts for sizable acreages in Alabama, Mississippi, Arkansas and Louisiana.

Acala is the third leading variety of cotton planted this year with 15 percent of the total acreage compared with 17 percent a year earlier. The predominating Acala strain, Acala SJ-1, comprises 11 percent of the total planted acreage. Acala continues to be the principal variety planted in California and New Mexico.

Lankart continues as the fourth leading variety for the fourth consecutive year. Estimates indicate that nine percent of the total acreage is planted to Lankart this year compared with 11 percent a year ago. Lankart 57, the most popular Lankart strain, comprises eight percent of the total acreage. Lankart remains the most favored variety in Texas and Oklahoma.

Coker and Paymaster are the next two leading varieties, accounting for seven and six percent, respectively, of total acreage planted. Coker remains the top choice of farmers in Georgia, North Carolina and South Carolina, and Paymaster is the second leading variety in Texas.

Pima S-4 continues to grow in importance and this year accounts for 80 percent of the total American Pima acreage. This compares with 58 percent a year earlier and 41 percent two years ago. Pima S-4 is the most popular American Pima strain in Texas and Arizona while Pima S-3 remains the most popular strain in New Mexico.

Estimated percentage of cotton acreage planted to specified varieties, United States, 1966-1970

Year	Acala	Coker	Delta- pine	Lankart	Pay- master	Stone- ville	0ther <u>1</u> /	Total
20	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1966	13	2	19	13	4	20	29	100
1967	17	5	17	14	5	20	22	100
1968	21	8	19	9	7	21	15	100
1969	17	6	26	11	6	17	17	100
1970	15	7	28	9	6	21	14	100

<sup>1/</sup> Includes small acreages planted to varieties other than those specified.

Smith-Doxey Cotton Classing Office Territories




Table 1. Average fiber test results for varieties of cotton grown commercially in the United States, crop of 1969 1/

	9 9 9			ted States		rength 3/	Fibrog	graph 4/
Variety	Sampling offices	Lots tested	Staple length	Micro- naire 2/	0-gage	1/8"-gage	2.5% Span	50/2.5%
							length	uniformity
Ome are 25	No.	No.	32d in.	Rdg.	Mpsi	G/tex	In.	Pct.
Gregg 35	1	3	29	4.0	82	21.1	0.90	47
Paymaster 18A Western Stormproof	1 3	3 9	29 29	3.1	77	19.5	0.90	45
	3			4.4	87	19.6	0.91	45
Blightmaster A-5	1	3	30	4.3	85	19.8	0.92	45
Lankart 57	14	41	30	4.3	83	19.6	0.92	45
Lankart 611	3	9	30	4.4	83	20.1	0.93	46
Paymaster 202	2	6	30	4.0	89	22.7	0.94	46
Rilcot 90	1	3	30	3.6	82	21.6	0.96	45
Lockett 4789	2	5	31	4.3	90	21.4	0.96	44
Paymaster 909	1	3	31	2.9	76	22.2	0.98	45
Sweatt 75A	1	3	31	3.7	74	20.1	1.01	42
Paymaster 111	5	15	32	4.0	85	22.7	1.02	45
TPSA 110	2	6	32	4.2	91	20.5	1.02	45
Coker 4104		1 1	33				1 1	
Deltapine Smooth Leaf	3	3	33	3.7 5.0	82 85	23.0	1.09	42
Dunn 56C	2	6	33			22.3	1.04	46
Lankart 3840	2		33	3.8	89	24.3	1.05	44
Lockett 4789A	2	6	33	3.9 4.0	81	21.3	1.05	43
					88	22.7	1.02	45
Auburn M	2	6	34	4.4	84	22.1	1.07	46
Carolina Queen	2	7	34	4.8	82	22.6	1.08	45
Coker 100	1	4	34	4.3	79	21.9	1.08	45
Coker 201	8	28	34	4.7	83	22.9	1.10	46
Deltapine 45A	5	15	34	4.6	82	22.9	1.08	46
Dixie King II Empire	5	15	34	4.8	87	21.9	1.04	45
McNair 1032B	1	3	34	4.1	<b>7</b> 8	21.0	1.06	45
Rex Smooth Leaf	2	6	34 34	4.9 4.7	81 84	22.7	1.07 1.06	47 45
Stoneville 213	21	66	34	4.7	84	22.0	1.08	45
Acala 4-42	2	6	35	4.3	98	26.5	1.09	47
Acala SJ-1	14	42	35	4.4	100	26.4	1.10	46
Coker 413	4	15	35	4.3	84	23.5	1.13	45
Coker 417	2	6	35	4.2	90	23.5	1.14	45
Deltapine 16	34	110	35	4.5	83	23.1	1.10	45
Stoneville 7A	8	25	35	4.5	87	22.1	1.09	45
TH 149	3	10	35	4,8	89	25.4	1.09	48
Acala 1517BR2	2	6	36	4.2	97	26.9	1.16	46
Acala 3080	1	3	36	3.9	96	28.0	1.18	46
Brycot	1	3	36	4.1	90	25.0	1.15	45
Hopicala	1	3	36	4.1	90	26.5	1.12	46
Acala 1517C	3	9	37	4.0	92	26.3	1.17	45
Acala 1517D	1	3	37	4.0	90	25.3	1.17	45
Acala 1517V	2	8	37	4.0	91	25.6	1.19	46
Coker 310	2	6	37	4.4	88	24.7	1.20	43
					2 2 3	1060	oll TIGDA (	

<sup>1/</sup> Compiled from "Summary of Cotton Fiber and Spinning Test Results, Crop of 1969", USDA, C&MS, Cotton Division, May 1970.

<sup>2/</sup> Micronaire reading is a measure of fiber fineness and maturity. This test measures resistance of a plug of cotton to air flow.

<sup>3/</sup> Fiber strength indicates ability of cotton fibers to withstand force or tension, and has a strong bearing on spinning utility. "O" gage fiber strength test made without a spacer between clamp jaws using Pressley flat bundle tester. 1/8" gage strength test made with 1/8" spacer between clamp jaws using Stelometer and results are adjusted to the Pressley level.

<sup>4/</sup> Digital Fibrograph 2.5% span length indicates length spanned by 2.5 percent of the fibers when they are parallel and randomly distributed. This measure is closely related to staple length designations. Digital Fibrograph 50/2.5 uniformity ratio values indicate relative uniformity of fiber length in samples.

		+	+	-	-	-	-														
Var	Variety Va	Va.	N.C.	S.C.	Ga.	Fla.	Ala.	Miss.	111.	KV.	Tenn.	Mo.	Ark.	La.	Okla.	Tex.	N.M.	Ariz.	Nev.	Cal.	U.S.
	PC	Pet.	Pct.	Pet.	Pet.	Pet.	Pet.	Pet.	Pct.	Pet.	Pot.	Pet.	Pet.	Pet.	Pet.	Pot.	Pct.	Pet.	Pet.	Pet.	Pet
Acala 4-42			1.		1		1	1			1	-	1		1			1		12	2
Acala 1517BR-2	36 OF 18 OF 18		.1		1	1	-	-	1	2	-					-	7	1	-	-	
Acala 1517C			1	1	1	1,		1	1	-1			1	,		2	18	2	0	-3	-
Acala 1517D			i	1	1	1	1	1		i.	1	1	-1				14	m	2	73	*
6 - Acala 1517V		90.	1	02 :	21.	30,			10	-	. SQ.	611	213	-	36	1	36	50	0		-
Acala 1517-70			1		1.	1.	4		F.			1		01	4		ო				•
Acala 3080		-	1	-			1	1	1.		1	1	-	- 1	i		m	. 1		-	•
Acala Stroman 254	254				13	1	15	- 10	1195		1	3.00		1	1.25		0			- 1	
So April - Acala SJ-1		1	1				1	1	1	1	L	1					н		8	79	11
RSE Auburn M		18	-	: 10	2	-	•		1	1	עו	8			1		1			T	1
Blight Master A-5	A-5	0.	61	02		51					1				91	2	•	THE !			Н
Brycot #1				1			1		,	,		1	1					•			
Carolina Queen		- 10	-	н	4	4	1	1,						•			1		19	-	•
Month Coker 100				-	2.	· 51	2	1-	-	1	10		-	15	1.19			1.8		-	
Coker 100A		,			m	0		•	1			1					. 1	i		99 1	
Coker 201	88		57	74	48	14	10	1	1	1 5	0 8	-		•	10	- 10			-	5.	4
Coker 310			m	т	Н		1		2.			2 1		ē. !				E 1			
Coker 413	.,	2	-	4	4	11	N	•		1	•		- 1					•			ai
Coker 417		4.5	6	14	19	~	4	1		1		1				1		1			-
Coker 4104		171		7			1	38	5	2			e .	2 .	G .	m	~		-31	zol.	-
Delcot	į	-,-		1			1				1	П	Ť.	•		ľ	-	- 1			1002
P3> Deltapine	2 4 4 4 8	. 8	18	н			. 1	1	- 1						-	1			-	1175	•
// Deltapine 16		5		61	м	39	25	52		09	41	R	4	53	Ŋ	m	н	68		0	26
Deltapine 45A				1	•.	13		~	1			т	т	13		•		1		0	1
P / Deltapine Smooth Leaf	h Leaf	-			1		-	1	1	1	н		•	1	1	1	1	1			7
Dixie King II	•		1		4	т	19	1			21	1	1	-			E.		-	,	~
Dunn 560	1000	0.5	1		II.	1	20		0.000	18	1			-		2	1	1.0		100	Н
Empire WR-61	TICL S	autiji	914	1125	2	0000	т	100	No. or	100 mg	47119	000	E 75E	12 23	GS 3	VE 27	oob or	a Hada		Yers	•
Gregg 35	THOR I AND I	No. 15	100/20	Tank Late	Res S	TE GOOD	Delte	Taker	Sirgina Demonstra	Exercise Locates	+ 1	1312	25.50	Section 1	Los		10 138	1 200			
Hancock - Hancock	The same of			,			1	1	1	-	m	1.				1					
Hopicala	-					ı	1										m	1			٠
		ľ															ı	l	и	ı	l

Table 2. Estimated percentage of cotton planted to specified varieties, by states and United States, crop of 1970 (Continued)

N.C.	Pct. Pct. Pct.	1	TO BE STORY		143	Mon.		日 七十十十二 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日	8 10		Northern Star #5		10000000000000000000000000000000000000	and a second	· · · ·	200	4	Rex Smooth Leaf				Does .		1 13 •		S S S S S S S S S S S S S S S S S S S	Western Stormproof	« « « « « « « « « « « « « « « « « « «	100 100 100
Ga. Fla.	Pet. Pet. Pe	-	teris	-		Ron	-	on o	1000	8 4	seplo Et a	100		936		100	-	m 1	-		in the	1 - 20	-	•	n Lee	1		1 - 4	100 100 100
Miss. Ill.	t. Pct. Pct. P	1	40 40 00		16 - B		•	10-0-0	H B B H	1	1 7 9 9	1	in the state of		•	Tr. to Tr.	•				n D	38 100	To To	0 . 0	Ste,	TA UEL EAL		•	100 100 10
Tenn.	Pct. Pct. Pct.	1	30 To	0	-	112	-	- S - S - S - S - S - S - S - S - S - S	100		753		-	-	1	100	-	e 4			ا *	40 20 53		- 00 - 00		-	1	e c	100 100 100
Ark. La.	Pot. Pot.	1	-	1	1			-			A		16			100		4			10 2	36 31		1	1		1	•	100 100
Tex.	Pet.	1 -	67 20	3	7 2	1 -	en •	е е			. 1	-	1 2	*	e e	2	•		m •		1 0	1 6	4	1000	-	*	en •	ω *	100 100 1
Artz.	Pet. Pet.		1 -	•	•				100		-		1 -	2	1	2	-		-			e 2		tue	dan dan				100 100 1
	Pct. Pct.		1		-		1			1	1.	1	-	1	1		1	i		· ·	1			1	1, -		1		100 100

5

ANIC

Table 3. Estimated percentage of cotton acreage planted to specified varieties, by states, 1966-1970

### Virginia

Season beginning August 1	Ginnings	Carolina Queen	Coker 100	Coker 201	Coker 413	McNair 1032	Rex	ТН 149	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1966	2,215	41	36	-	-	5	16		2	100
1967	148	65	12	10	4	6	2	J. 1-1	1	100
1968	2,600	8		61	3	28	-		10 -1 10	100
1969	1,690	3	2	88	4	-	-	-	3	100
1970		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 -1- 1	89	2	8		. 1.	4 (- )	100

### North Carolina

Season beginn August	ing	Ginnings	Carolina Queen	Coker 100	Coker 201	Coker 413	Coker 417	McNair 1032	TH 149	Other	Total
		Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1966		100,846	43	17	1 1 1 2 3	4	1111	29	131-11	7	100
1967		47,780	31	5	17	24	-	19	-	4	100
1968		130,347	4	4	40	25	· · · · · ·	26	1 1 - 1	1 1	100
1969		105,919	3	2	51	11	*	20	8	5	100
1970			1	*	57	1	9	10	13	9	100

# South Carolina

Season beginning August 1	Ginnings	Carolina Queen	Coker 100	Coker 201	Coker 310	Coker 413	Coker 417	McNair 1032	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1966	289,233	80	13	-	-	2	-	4	1	100
1967	184,207	44	7	9	45 1-10	38	gi i	1 2	1111	100
1968	263,962	7	1	36	-	55	-	1	*	100
1969	210,563	3	1	73	17 1 - 10	19	1	1 1 1	3	100
1970	-	1	1	74	3	4	14	2	1	100

### Georgia

Season beginning August 1	Ginnings	Ca <b>rol</b> ina Queen	Coker 100	Coker 201	Coker 413	Coker 417	Dixie King	McNair 1032	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1966	316,886	69	15	-	2 - 2	# E- E	5	1	10	100
1967	229,249	56	11	*	20	2 3- 3	5	2	6	100
1968	268,411	8	*	6	63	- 20 20	1	1	21	100
1969	277,531	10	2	47	20	-	4	7	10	100
1970	-1	4	3	48	4	19	4	8	10	100

<sup>\*</sup> Less than 0.5 percent.

Table 3. Estimated percentage of cotton acreage planted to specified varieties, by states, 1966-1970 (Continued)

### Florida

Season beginning August 1	Ginnings	Carolina Queen	Coker 100	Coker 201	Coker 413	Delta- pine 16	Delta- pine 45A	McNair 1032	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1966	8,490	75	15	-	-	-	-	-	10	100
1967	7,178	49	16	-	10	-	-	9	16	100
1968	10,267	4	4	26	46	-	-	15	5	100
1969	9,124	7	11	12	21	5	-	23	21	100
1970	-	4	9	14	11	39	13	4	6	100

### Alabama

Season beginning August 1	Ginnings	Carolina Queen	Coker 201	Coker 413	Delta- pine 16	Dixie King II	McNair 1032	Stone- ville	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1966	463,192	30	-	-	-	27	1	6	36	100
1967	201,928	28	*	10	-	23	5	6	28	100
1968	402,065	10	4	56	*	8	9	4	9	100
1969	466,030	3	10	11	19	21	7	12	17	100
1970	-	1	10	2	25	19	5	20	18	100

### Mississippi

Season beginning August 1	Ginnings	Coker 201	Coker 413	Delta- pine 16	Delta- pine 45A	Deltapine Smooth Leaf	Stone- ville 7A	Stone- ville 213	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1966	1,352,742	-	-	-	-	44	3	45	8	100
1967	1,062,014	-	2	-	3	36	4	48	7	100
1968	1,519,067	1	4	12	2	29	3 .	44	5	100
1969	1,314,668	1	1	56	2	3	1	35	1	100
1970	-	1	*	52	2	1	5	38	1	100

# Illinois

Season beginning August 1	Ginnings	Auburn	Delta- pine	Fox	Rex	Stone- ville 213	Other			Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1966	176	-	32	30	8	30	-	-	-	100
1967	-	-	-	70	-	30	-	-	-	100
1968	64	-	_	15	-	85	-	-	-	100
1969	65	_		9	-	86	5	-	- ' -	100
1970	-	-	-	-	-	100	-	-	-	100

<sup>\*</sup> Less than 0.5 percent.

Table 3. Estimated percentage of cotton acreage planted to specified varieties, by states, 1966-1970 (Continued)

### Kentucky

Season beginning August 1	Ginnings	Delta- pine 16	Delta- pine 45	Delta- pine 45A	Deltapine Smooth Leaf	Fox	Rex Smooth Leaf	Stone- ville 213	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1966	1,374	-	24	-	42	3	20	8	3	100
1967	212	-	14	-	38	4	5	38	1	100
1968	1,686	-	-	8	50	-	2	40	-	100
1969	2,882	55	5	-	-	-	10	30	-	100
1970	-	60	-	-	-	-	-	40	-	100

### Tennessee

Season beginning August 1	Ginnings	Auburn M	Delta- pine 16	Deltapine Smooth Leaf	Dixie King II	Empire	Rex Smooth Leaf	Stone- ville 213	Other	Total
	<u>Bales</u>	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1966	363,372	2	-	24	34	9	5	15	11	100
1967	146,130	4	-	22	35	9	6	16	8	100
1968	322,600	7	3	25	18	1	2	27	17	100
1969	417,274	8	32	6	26	2	4	16	6	100
1970	-	5	41	1	21	4	3	20	5	100

### Missouri

Season beginning August 1	Ginnings	Auburn M	Delta- pine 16	Delta- pine 45A	Deltapine Smooth Leaf	Rex	Stone- ville 7A	Stone- ville 213	Other	Total
	<u>Bales</u>	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1966	164,573	5	-	-	5	21	14	38	17	100
1967	60,088	8	-	8	3	9	18	43	11	100
1968	197,045	15	1	11	*	4	9	54	6	100
1969	326,044	8	22	3	1	7	7	48	4	100
1970	-	8	23	3	_	4	5	53	4	100

### Arkansas

Season beginning August 1	Ginnings	Delfos	Delta- pine 16	Delta- pine 45A	Deltapine Smooth Leaf	Rex Smooth Leaf	Stone- ville 7A	Stone- ville 213	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1966	763,896	5	-	-	19	8	18	36	14	100
1967	503,251	4	-	2	18	5	18	38	15	100
1968	1,032,525	2	5	8	14	4	11	49	7	100
1969	1,140,945	1	33	6	*	3	12	40	5	100
1970	-	-	44	3	*	4	10	36	3	100

<sup>\*</sup> Less than 0.5 percent.

Table 3. Estimated percentage of cotton acreage planted to specified varieties, by states, 1966-1970 (Continued)

### Louisiana

Season beginning August 1	Ginnings	Carolina Queen	Coker 413	Delta- pine 16	Delta- pine 45A	Deltapine Smooth Leaf	Stone- ville 7A	Stone- ville 213	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1966	448,766	1	-	-	-	50 .	7	32	10	100
1967	429,983	- 0	2	-	6	49	5	32	6	100
1968	544,746	*	3 -	8	10	36 ·	4	36	3	100
1969	481,598	-	-	49	10	4	2	34	1	100
1970	-	-	*	53	13	1	2	31	*	100

### Oklahoma

Season beginning August 1	Ginnings	Delta- pine 16	Deltapine Smooth Leaf	<u> </u>	Lockett	Pay- master	Stone- ville	West- burn	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1966	210,952	-	8	64	4	2	3	-	19	100
1967	189,596	-	8	68	5	6	3	1	9	100
1968	259,899	*	6	49	12	8	5	4	16	100
1969	271,006	6 .	1	73	5	6	3	3	3	100
1970	-	5	1	80	3	4	2	. 3	2	100

### Texas

Season beginning August 1	Ginnings	Acala	Delta- pine	Lankart	Lockett	Pay- master	Stone- ville	Western Storm- proof	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1966	3,125,486	4	5	37	3	12	12	8	19	100
1967	2,694,646	6	3	38	3	15	14	6	15	100
1968	3,446,138	13	3	20	7	20	17	2	18	100
1969	2,774,222	7	3	28	7	18	10	4	23	100
1970	_	4	4	25	6	19	15	3	24	100

# New Mexico

Season beginning August 1	Ginnings	Acala 1517BR	Acala 15170	Acala 1517D	Acala 1517V	Acala 1517 Stroman	Hopicala	Pay- master	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1966	157,639	7	17	36	19	5	-	1	15	100
1967	138,420	12	34	18	22	3	1	1	9	100
1968	158,372	14	14	22	34	4	5	2	5	100
1969	140,522	9	15	12	43	1	6	4	10	100
1970	-	7	18	14	36	-	3	6	16	100

<sup>\*</sup> Less than 0.5 percent.

....

Table 3. Estimated percentage of cotton acreage planted to specified varieties, by states, 1966-1970 (Continued)

### Arizona

Season beginning August 1	Ginnings	Acala 1517C	Acala 1517D	Del Cerro	Delta- pine 16	Deltapine Smooth Leaf	Hopicala	Stone- ville 213	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1966	475,828	3	3	*	-	77	3	5	9	100
1967	415,360	3	3	1	-	<b>6</b> 5	8	4	16	100
1968	680,880	2	4	1	70	7	7	2	7	100
1969	589,125	1	3	2	87	2	2	1	2	100
1970	-	2	3	1	89	.1	1	3	*	100

### Nevada

Season beginning August 1	Ginnings	Acala 4-42	Acala 1517C	Acala 1517D	Acala 1517V	Acala SJ-1	Hopicala	Stone- ville 213	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1966	3,534	1	<b>6</b> 6	24	7		2		-	100
1967	3,950	-	17	26	57	-	-	-	-	100
1968	4,115	- 11	8	7	73	12	-	-	-	100
1969	3,241	4-	6	1	25	65		3	-	100
1970	-	-	9	2	9	80	-,	-	-	100

### California

Season beginning August 1	Ginnings	Acala 4-42	Acala SJ-1	Imperial Acala	Del Cerro	Delta- pine 16	Deltapine Smooth Leaf	Stone- ville	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1966	1,241,997	86	-	-	1	-	9	1	3	100
1967	1,056,153	3	87	4		1	5	*	*	100
1968	1,593,595	4	87	*	-	7	1	1		100
1969	1,334,246	3	86	*	-	10	1	*	-	100
1970	-	12	79	*	••	9	*	*	-	100

<sup>\*</sup> Less than 0.5 percent.

Table 4. Raleigh Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1970

State		1969	Coker	Coker	Coker	Calson	McNair		TH	Other	
and	Gins	Ginnings	201	310	413	417	1032	Rex	149	Other	Total
County		GIMIINGS	201	310	413	41/	1032		149		
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
North Carolina:											
Anson	4	6,134	69	-	-	2	21	-	8	-	100
Cleveland	12	9,849	61	36	-	-	-	-	3	-	100
Edgecombe	5	2,190	49	-	004	14	19	-	18	-	100
Franklin	5	908	50	-	-	-	8	-	-	42	100
Halifax	11	13,636	68	-	2	7	9	6	7	1	100
Harnett	5	3,014	59	-	16	14	4	2	4	1	100
Iredell	4	433	59	-	-	-	-	-	-	41	100
Nash	6	3,496	42	ton	2	2	6	2	46	-	100
Northampton	9	9,656	32	-	3	3	1	32	26	3	100
Pitt	3	724	73	-	-	16	4	-	7	-	100
Robeson	14	11,777	71	-	-	6	7	-	16	-	100
Rowan	3	1,360	80	-	-	-	3	-	5	12	100
Rutherford	3	909	85	-	-	-	-	-	12	3	100
Sampson	6	6,651	41	-	-	48	5	-	6	-	100
Scotland	7	15,852	60	-	-	1	30	-	6	3	100
Union	4	3,060	45	-	-	4	3	-	48	-	100
Wilson	5	892	50	-	-	40	7	-	3	-	100
All other	21	15,378	52	-	1	<b>1</b> 5	7	3	19	3	100
Total	127	105,919	57	3	1	9	10	4	13	3	100
Virginia:											
							•		2		100
Total	7	1,690	89	-	2	-	8	-	1	-	100
Classing			-			0	10	4	13	2	100
Office Total	134	<b>1</b> 07,609	58	3	1	9	10	4	13	2	100

Table 5. Columbia Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1970

			1						T		
State		1969	Carolina	Coker	Coker	Coker	Coker	Delta-	McNair	Other	
and	Gins	Ginnings	Queen	201	310	413	417	pine	1032B		Total
County											
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
South Carolina:											
Abbeville	3	4,571	-	66	-	17	17	-	-	-	100
Aiken	6	7,676	-	82	-	4	-	-	14	-	100
Anderson	7	4,572	-	45	31	3	2	-	-	19	100
Bamberg	4	5,932	-	71	-	14	15	-	-	-	100
Barnwell	3	4,131	-	90	-	5	- 11	-	4	1	100
Calhoun	6	10,199	-	97	-	-	1	1	1	-	100
Cherokee	3	2,702	-	100	-	-	-	-	-	-	100
Chester	3	2,612	-	96	-	-	4	-	-	-	100
Chesterfield	3	6,625	-	94	-	-	3	1	-	2	100
Clarendon	12	10,661	1	56	-	3	35	3	1	1	100
Darlington	7	10,753	-	49	-	4	47	-	-	-	100
Dillon	9	10,726		46	-	8	46	-	-	-	100
Edgefield	4	4,870	5	90	-	-	5	-	-	-	100
Florence	9	9,204	2	73	-	10	9	-	4	2	100
Hampton	5	2,678	-	93	-	1	-	-	6	-	100
Lancaster	3	1,837	_	42	44	8	6		-	_	100
Laurens	6	2,366	_	81	_	3	_	_	10	6	100
Lee	14	22,704	_	72	_	1	27	_	_	_	100
Lexington	4	3,190	21	75	-	_	2	1	1	_	100
Marion	4	2,430	_	60	_	25	15	-	_	_	100
Marlboro	12	16,958	-	94	_		4	1	1	_	100
Orangeburg	23	23,705	_	87		_	8	1	2	2	100
Spartanburg	5	2,850	8	71	_	_	_	-	_	21	100
Sumter	15	17,455	2	71	_	5	13	6	2	1	100
Williamsburg	6	1,878	10	66	_	_	_	_	14	10	100
York	3	4,035	_	65	_	_	_	2		33	100
All other	16	13,243	1	63	25	4	4	_	3	-	100
HII Ooner	10	10,240	Τ.	05	20	7	7	_	5		100
Classing											
Office Total	195	210,563	1	74	3	4	14	1	2	1	100

Table 6. Augusta Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1970

State and County	Gins	1969 Ginnings	Carolina Queen	Coker 100A	Coker 201	Coker 310	Coker 417	Dixie King II	McNair 1032B	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Georgia:											
Bulloch	4	3,158	-	-	73		-	-	27	-	100
Burke	13	14,546	-	1	61	-	22	-	11	5	100
Emanuel	4	4,646	22	-	52	-	2	3	19	2	100
Jefferson	8	10,399	-	-	81	-	-	1	18	-	100
Johnson	3	6,116	7	-	32	-	3	2	45	11	100
Laurens	7	11,362	-	-	81	-	11		8	-	100
Morgan 1/	5	4,539	-	-	14	42	-	44	-	-	100
Screven	5	6,000	-	1	70	-	13	11	3	2	100
Toombs	4	2,484	26	29	31	-	11	-	-	3	100
Washington	4	7,607	6	-	86	-	4	-	-	4.	100
All other	20	15,023	2	3	88	-	3	1	2	1	100
Classing											
Office Total	<b>7</b> 7	85,880	3	2	68	2	8	4	11	2	100

<sup>1/</sup> Includes the portion of the county served by Atlanta Classing Office.

State

Table 7. Atlanta Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1970

Delta- Dixie way

and	Gins	1969	Carolina	Coker	Coker	Coker	pine	King	McNair	Other	Total
County	41115	Ginnings	Queen	201	413	417	16	II	1032B		10041
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Georgia:											
Bartow	7	11,880	8	39	-	-	-	9	-	44	100
Bleckley	3	6,207	-	80	5	10	-	-	-	5	100
Brooks	3	293	-	36	-	10	-	-	43	11	100
Calhoun	3	5,292	-	41	7	37	6	6		3	100
Colquitt	7	14,448	-	63	-	15	1	-	17	4	100
Crisp	4	9,294	7	15	11	13	3	-	41	10	100
Dodge	3	2,938	-	96	-	-	-	-	3	1	100
Dooly	11	28,688	-	-	19	75	2	-	-	4.	100
Floyd	4	2,699	-	14	-	-	-	64	-	22	100
Gordon	3	4,101	-	2	-	-	-	-	-	98	100
Hart	3	3,468	6	28	26	40	-	-	-	-	100
Macon	4	8,178	-	31	2	49	6	4	4	4	100
Mitchell	3	4,588	-	77	13	10	-	-	-	-	100
Morgan 1/	-	-	-	-	-	-	-	-	-	-	-
Pulaski	3	10,672	-	70	-	5	20	-	5	-	100
Sumter	5	7,278	23	28	-	14	17	9	6	3	100
Taylor	7	7,200	-	27	-	48	-	18	-	7	100
Terrell	5	7,706	14	38	-	-	-	-	10	38	100
Tift	3	1,943	5	45	-	30	-	-	17	3	100
Turner	3	4,238	-	64	-	8	-	-	22	6	100
Walton	4	4,274	-	66	-	-	-	16	-	18	100
Wilcox	3	2,670	41	51	2	5	-	-	-	1	100
Worth	4	3,466	11	62	-	-	-	-	24	3	100
All other	39	40,130	3	42	6	14	4	5	5	21	100
Total	<b>1</b> 34	191,651	4	39	6	24	4	4	7	12	100
Florida:											
Total	1	76	-	20	-	11	-	-	20	49	100
Classing Office Total	<b>1</b> 35	191,727	4	39	6	24	4.	4.	7	12	100
OTTICE TOTAL	100	191,/2/					-1				

<sup>1/</sup> Data for Morgan County shown in Table 6, Augusta Classing Office.

Table 8. Birmingham Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1970

State		1969	Coker	Delta-	Dixie			Rex	Stone-	045	
and	Gins			pine	King	Empire	Hancock	Smooth	ville	Other	Total
County		Ginnings	201	16	II			Leaf	213		
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Alabama:											
Blount	3	7,604	-	-	35	-	-	-	24	41	100
Cherokee	12	26,830	18	46	25	-	-	-	9	2	100
Colbert	6	20,637	-	47	-	-	-	-	47	6	100
Cullman	13	12,119	-	1	69	5	-	-	15	10	100
DeKalb	16	19,741	13	-	86	-	-	-	-	1	100
Franklin	4	7,113	20	20	-	-	-	30	30	-	100
Jackson	7	8,206	-	9	47	29	-	-	7	8	100
Lamar	4	6,762	-	90	-	-	-	3	3	4	100
Lauderdale	9	15,511	•	29	9	24	-	15	13	10	100
Lawrence	14	29,178	-	46	3	2	14	6	23	6	100
Limestone	18	44,054	-	16	7	2	-	9	61	5	100
Madison	20	37,813	-	13	5	6	-	11	60	5	100
Marshall	13	13,673	3	-	27	-	-	3	59	8	100
Morgan	9	13,537	-	9	45	39	-	-	7	-	100
Pickens	3	6,076	-	10	75	-	-	5	-	10	100
Shelby	3	5,915	-	92	-	-	-	-	-	8	100
Tuscaloosa	4	7,697	-	95	-	-	-	-	-	5	100
All other	16	20,399	19	27	44	-	-	2	1	7	100
Classing											
Office Total	174	302,865	4	27	23	5	1	5	29	6	100

Table 9. Montgomery Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1970

State		1969	Coker	Coker	Coker	Coker	Delta-	Dixie	McNair	Other	
and	Gins	Ginnings	100A	201	413	417	pine	King	1032B	Other	Total
County		dimings	1001	201	415	+17	16	II	10321		
	No.	<u>Bales</u>	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Alabama:											
Autauga	4	9,434	-	9	-	88	3	-	-	-	100
Barbour	4	3,215	4	23	9	4	37	8	11	4	100
Butler	3	2,766	10	-	-	-	34	-	16	40	100
Conecuh	4	4,795	22	59	-	-	3	2	12	2	100
Covington	4	4,156	34	22	-	-	3	19	22	-	100
Crenshaw	4	1,929	-	40	-	-	-	57	3	-	100
Dallas	9	16,466	-	40	2	13	3	6	17	19	100
Elmore	6	15,027	15	3	1	39	17	2	20	3	100
Escambia	3	10,356	6	35	5	1	53	-	-	-	100
Geneva	5	4,371	20	28	-	-	-	39	11	2	100
Greene	3	6,320	8	-	-	-	27	29	19	17	100
Hale	5	6,642	2	8	8	14	31	32	5	-	100
Houston	7	3,310	-	54	-	1	2	24	8	11	100
Lowndes	4	4,280	-	79	2	-	3	1	12	3	100
Macon	4	11,236	-	-	5	-	67	-	19	9	100
Marengo	3	6,766	7	7	2	-	37	12	7	28	100
Monroe	3	8,161	29	30	4	-	14	7	16	-	100
Montgomery	3	3,172	7	-	7	-	27	-	47	12	100
Perry	3	4,210	-	14	-	-	36	39	-	11	100
Russell	3	7,468	-	30	20	-	26	16	5	3	100
Sumter	4	4,124	-	40	-	-	38	15	-	7	100
Wilcox	4	4,721	-	3	69	-	-	24	-	4	100
All other	16	20,240	3	14	7		15	20	26	15	100
Total	108	163,165	7	21	б	11	22	12	14	7	100
Florida:											
Total	4	9,048	9	14	11	2	39	3	4	18	100
Classing											
Office Total	112	172,213	7	21	6	10	23	12	13	8	100

Table 10. Greenwood Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1970

State and County	Gins	1969 Ginnings	Coker 310	Delta- pine 16	Delta- pine 45A	Delta- pine Sm. Lf.	Dixie King II	Stone- ville 7A	Stone- ville 213	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Mississippi:											
Bolivar	43	112,981	-	86	-	-	-	-	14	-	100
Carroll	3	7,053	-	50	9	-	-	-	41	-	100
Coahoma	40	127,206	-	35	1	1	-	30	33	-	100
DeSoto 1/	5	13,119	11	69	8	-	-	-	12	-	100
Holmes	16	48,193	-	70	4	-	-	-	26	-	100
Humphreys	14	43,082	-	53	-	-	-	-	47	-	100
Issaquena	3	10,409	-	90	-	-	-	-	10	-	100
Leflore	27	79,115	-	56	-	-	-	3	41	-	100
Madison 2/	3	8,420	-	30	-	-	-	-	<b>7</b> 0	-	100
Panola <u>l</u> /	8	21,577	-	40	-	-	-	-	55	5	100
Qui tman	18	61,768	-	38	-	8	-	-	54	-	100
Sharkey	13	40,484	-	73	-	-	-	-	27	-	100
Sunflower	33	112,994	-	38	1	-	2	6	53	-	100
Tallahatchie	21	61,218	-	28	-	-	-	1	71	-	100
Tunica	17	36,588	18	31	37	-	-	-	14	-	100
Washington	37	118,674	-	53	-	-	-	11	34	2	100
Yazoo	13	53,678	-	65	-	-	-	-	34	1	100
All other	5	10,458	-	62	3	13	-	-	21	1	100
Classing											
Office Total	319	967,017	1	52	2-	1	*	6	37	1	100

<sup>1/</sup> A portion of this county is served by Memphis Classing Office.

Table 11. Jackson Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1970

State and County	Gins	1969 Ginnings	Auburn 56	Coker 201	Coker 413	Delta- pine 16	Delta- pine 45A	Delta- pine Sm. Lf.	Stone- ville 213	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Mississippi:						<del></del>		<del></del>			
Ami te	3	756	-	-	-	62	-	-	38	-	100
Attala	5	6,343	-	-	-	42	-	-	58	-	100
Clay	3	3,242	-	-	-	93	-	-	7	-	100
Copiah	3	3,461	-	-	-	55	-	-	45	-	100
Hinds	6	15,680	-	-	-	59	-	-	41	-	100
Jefferson Davis	3	2,823	-	10	-	75	-	-	15	-	100
Lowndes	6	7,717	-	-	-	73	-	-	27	-	100
Madison <u>1</u> /	6	13,663	-	-	-	78	-	-	22	-	100
Montgomery 2/	3	4,321	-	-	-	48	17	17	18	-	100
Noxubee	4	7,342	-	-	-	75	-	-	25	-	100
Scott	3	3,653	-	-	-	97	-	-	3	-	100
Webster	3	5,798	-	-	-	71	-	-	29	-	100
Winston	4	5,940	-	16	-	-	-	29	55	-	100
All other	29	39,502	2	7	2	54	2	2	28	3	100
Total	81	120,241	1	3	1	60	1	3	30	1	100
Louisiana:											
Total	1	153	-	-	-	50	-	-	50	-	100
Classing											
Office Total	82	120,394	1	3	1	60	1	3	30	1	100

<sup>1/</sup> A portion of this county is served by Greenwood Classing Office.

<sup>2/</sup> A portion of this county is served by Jackson Classing Office.

<sup>\*</sup> Less than 0.5 percent.

A portion of this county is served by Greenwood Classing Office and is included in the data for "all other".

Table 12. Memphis Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1970

						1 100163	by cour			1970	
State.		1969	Auburn	Delta-	Dixie	Empire	17.	Rex	Stone-	Other	m
and	Gins	Ginnings	M	pine	King	WR-61	Hancock		1		Total
County			7	16	II	2		Leaf	213		
_	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Tennessee:	70	14 407	2	25	55	10	6		2		100
Carroll	10	14,437	2	25 54	55	10	6 4	9	2 4	-	100
Chester	5	7,456	-	44	29 18	<b>-</b> 4			30		100
Crockett	12	38,031	9	15	11.	4	-	-	58	4 5	100
Dyer	14	28,047	15	36	8	_	<del>-</del> 7	2	30	4	100
Fayette	13	25,344	11	37	12	15	1	-	18	6	100
Gibson	20	41,962		66	10	7.0		<del>-</del> 2	21	-	100
Hardeman	10	16,976	1 4	32	22	_	<b>-</b> 2		17	23	100
Hardin	3	2,595	3	40	38	•	2	_	16	1	100
Haywood	16	39,058		1.2	55	<del>-</del> 7	2	<b>-</b> 5	13	_	100
Henderson	7	8,150	6	61		/	_	1	36	2	100
Lake	9	25,268	-	52	26	1		2	14	_	100
Lauderdale	13	39,378	5 3	- -	46	15	_	10	26	-	100
Lawrence	6	8,548		12	7	25	26	15	15	_	100
Lincoln	5	7,952	_	36	43	25	8	10	13	_	100
McNairy	10	12,093	<u>-</u> 5	67	43 1	1.	2		13	11	100
Madison	12	24,853	5 3	34	37	7	3		23		100
Obion	5	6,050	3 14	34 19	12		3 7	<b>2</b> 6	16	<b>-</b> 6	100
Shelby	15	21,591		62	26		í	3	4	3	100
Tipton	16	40,018	1.		24	29	13	2	10	*	100
All other	10	9,467	7	15	24	29					
Total	211	417,274	5	41	21	4	3	3	20	3	100
Illinois:											
Total	1	65	_	_	_	_	_	_	100	_	100
	<b></b>	00									
Kentucky:									40		300
Total	1	2,882	-	60	-	-	-	-	40	-	100
Arkansas:											
Crittenden	33	74,254	-	49	-	-	-	11	32	8	100
All other	1	1,356	-	42	-	-	-	-	33	25	100
Total	34	75,610	-	49	-	_	-	10	32	9	100
Mississippi:											
Alcorn	4	9,151	_	30	21	-	_	-	47	2	100
Benton	4	8,573	2	46	•••	-	-	-	50	2	100
Calhoun	6	14,028	_	25	_	-	600	-	75	-	100
Chickasaw	4	9,483	-	45	***	_	-	-	42	13	100
DeSoto 1/	5	11,393	-	47	_	_	-	-	47	6	100
Grenada 2/	3	5,327	-	65	_	que.	-	-	26	9	100
Itawamba	3	4,938	-	45	3		-	-	52	***	100
Lee	6	13,803	_	76	5	-	-	-	19	-	100
Marshall	12	25,312	-	64	_		-	-	29	7	100
Monroe	9	18,350	•••	65	3	-	-	-	30	2	100
Panola <u>1</u> /	11	22,672	_	29	_	***	-	-	65	6	100
Pontotoc	6	13,202	-	45	-	***	-	-	55	-	100
Prentiss	7	10,253	_	49	23	-	_	-	28	***	100
Tate 2/	8	20,216	_	29	_	_	-	-	65	6	100
Tippah	6	14,084	_	48	1	-	-	10	38	3	100
Tishomingo	4	4,416	_	30	15	•••	400	-	51	4	100
Union	3	5,945	_	40	-	_	-	-	60	-	100
Yalobusha	3	10,781	_	90	-	-	-	-	8	2	100
All other	2	5,483	qua	54	***		***	-	45	1	100
Total	106	227,410	*	48	3	-	_	1	44	4	100
	700	227,410	*	70							
Classing	252	702 241	3	44	13	2	2	3	29	4	100
Office Total  1/ A portion of	353	723,241									
1/ A portion of	this c	ounty is se	erved by	GLEGIIM	OUT OTS	TOOTING C					

<sup>1/</sup> A portion of this county is served by Greenwood Classing Office.
2/ A portion of this county is served by Greenwood Classing Office and is included in the data for "all other".

Less than 0.5 percent.

Table 13. Hayti Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1970

State		1969	Auburn		Delta-	Delta-	Rex	Stone-	Stone-	Other	
and	Gins	Ginnings	M	Delcot	pine	pine	Smooth	ville	ville	other	Total
County		armings	M		16	45A	Leaf	7A	213		
	No.	Bales	Pct.	Pct.	Pct.						
Missouri:											
Butler	5	10,799	-	-	2	-	-	6	87	5	100
Dunklin	32	82,443	18	-	26	1	2	5	45	3	100
Mississippi	11	18,483	5	-	40	2	4	14	29	6	100
New Madrid	31	91,150	11	2	13	5	9	4	53	3	100
Pemiscot	26	91,980	-	-	33	-	2	7	56	2	100
Scott	6	11,732	-	-	11	2	8	-	77	2	100
Stoddard	7	18,148	7	-	7	12	4	1	66	3	100
All other	1	1,309	3	-	15	-	-	20	60	2	100
Classing											
Office Total	119	326,044	8	1	23	3	4	5	53	3	100

Table 14. Blytheville Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1970

State and County	Gins	1969 Ginnings Bales	Brycot #1 Pct.	Brycot #4 Pct.	Coker 310	Delta- pine 16 Pct.	Rex Smooth Leaf Pct.	Stone- ville 7A Pct.	Stone- ville 213 Pct.	Other	Total Pct.
								100.		100.	1000
Arkansas:											
Clay <u>l</u> /	11	22,267	1	-	-	18	10	25	44	2	100
Craighead	26	77,631	3	2	-	21	3	26	43	2	100
Greene	11	30,548	1	-	-	11	9	26	50	3	100
Mississippi	55	189,222	4	-	1	34	2	27	31	1	100
Poinsett	22	78,995	1	-	-	39	-	9	46	5	100
Classing											
Office Total	125	398,663	3	*	*	30	3	23	39	2	100

<sup>1/</sup> A portion of this county is served by Little Rock Classing Office.

<sup>\*</sup> Less than 0.5 percent.

Table 15. Little Rock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1970

State		1969	Auburn	Delta-	Delta-	Dixie	Rex	Stone-	Stone-	Other	
and	Gins	Ginnings	M	pine	pine	King	Smooth	ville	ville	Other	Total
County		dimings	PI	16	45A	II	Leaf	7A	213		
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Arkansas:											
Arkansas	4	· ·	-	46	4	-	-	4	46	-	100
Ashley	6	38,010	-	60	3	-	-	-	37	-	100
Chicot	9	37,538	-	65	-	-	-	-	35	-	100
Clay 1/	6	9,174	-	9		13	-	36	40	2	100
Cross 2/	<b>1</b> 5	24,903	-	29	-	-	41	5	23	2	100
Desha	13	42,389	-	28	-	-	-	-	72	-	100
Drew	4	12,392	-	40	10	-	-	-	50	-	100
Jackson	15	33,172	-	30	-	11	24	-	29	6	100
Jefferson	27	76,282	1	84	13	-	-	-	2	-	100
Lafayette	4	10,434	-	70	5		-	-	20	5	100
Lawrence	8	16,127	-	37	-	5	18	22	18	-	100
Lee	18	46,136	-	48	-	-	9	2	37	4	100
Lincoln	9	32,295	-	75	9	-	-	3	12	1	100
Lonoke	13	55,078		69	4	-	-	1	26	-	100
Miller	4	5,667	-	80	5	-	-	5	10	-	100
Monroe	11	28,678	-	74	21	-	-	-	3	2	100
Phillips	37	74,512	-	39	6	-	-	2	53	-	100
Pulaski	7	6,280	-	24	3	-	-	-	71	2	100
Randolph	5	9,194	-	15	-	5	35	10	35	-	100
St. Francis	24	45,358	3	44	-	-	1	-	52	-	100
White	5	3,470	-	76	-	-	6	-	16	2	100
Woodruff	10	29,606	-	28	-	-	-	-	68	4	100
All other	14	24,643	1	31	1	-	4	2	58	3	100
Classing											
Office Total	268	666,672	*	52	4	1	5	2	35	1	100

<sup>1/</sup> A portion of this county is served by Blytheville Classing Office.

<sup>2/</sup> A portion of this county is served by Memphis Classing Office and is included in the data for "all other".

<sup>\*</sup> Less than 0.5 percent.

Table 16. Winnsboro Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by parishes, crop of 1970

State and Parish	Gins	1969 Ginnings Bales	Coker 413 Pct.	Delta- pine 15 Pct.	Delta- pine 16 Pct.	Delta- pine 45A Pct.	Delta- pine Sm. Lf. Pct.	Stone- ville 7A Pct.	Stone-ville 213 Pct.	Pct.	Total Pct.
Louisiana:											
Catahoula	4	17,491	_	_	26	4	_	9	61	_	100
Concordia	5	14,393	-	-	66	8	-	3	23	-	100
East Carroll	9	42,070	-	_	51	-	-	-	49	_	100
Franklin	15	47,131	-	-	40	3	-	1	56	-	100
Madison	4	16,881	-	-	66	1	-	-	33	-	100
Morehouse	7	47,934	-	-	62	17	-	-	21	-	100
Ouachita	4	17,144	-	-	75	13	-	1	11	-	100
Richland	14	43,714	-	-	67	6	-	2	25	-	100
Tensas	6	31,736	-	-	44	19	1	-	36	-	100
West Carroll	10	25,645	1	2	55	1	7	2	32	-	100
All other	2	10,859	-	-	31	36	-	4	29	-	100
Classing											
Office Total	80	314,998	*	*	54	8	1	1	36	-	100

<sup>\*</sup> Less than 0.5 percent.

Table 17. Alexandria Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by parishes, crop of 1970

State	G4	1969	Delta-	Delta-	Delta-	Stone-	1				M - 4 - 2
and	Gins	Ginnings	pine	pine	pine	ville	ville				Total
Parish			16	45A	Sm. Lf.	7A	213			<u> </u>	
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Louisiana:											
Acadia	3	5,979	69	-	-	8	23	-	-	_	100
Avoyelles	9	21,185	42	39	-	-	19	-	-	-	100
Bossier	6	7,208	91	9	-	-	-	-	-	-	100
Caddo	12	27,023	94	4	2	-	-	-	-	_	100
Evangeline	4	3,446	92	2	-	-	6	-	-	-	100
Lafayette	6	4,992	29	-	-	1	70	-	-	-	100
Natchitoches	7	17,189	66	25	-	-	9	-	-	-	100
Rapides	10	37,627	29	51	-	4	16	-	-	-	100
Red River	3	5,831	74	24	-	1	1	-	-	-	100
St. Landry	16	25,335	39	1	-	4	56	-	-	-	100
All other	6	10,632	33	18	-	-	49	-	-	-	100
Classing											
Office Total	82	166,447	54	22	*	2	22	-	-	-	100

<sup>\*</sup> Less than 0.5 percent.

Table 18. Altus Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1970

L			<del></del>	·								
	State		1969	Delta-		Lankart	Lankart	Tauleant	T 1 - 4 4	Pay-		
	and	@ins	Ginnings	pine	Gregg	57	611	Lankart 3840	Lockett 4789A	master	Other	Total
1	County		<del></del>	16			011	3040	4709A	202		
		No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
0	klahoma:											
	Beckham	11	23,721	_	-	74	2	2	4	8	10	100
	Blaine	3	3,593	-	-	22	4	29	-	-	<b>4</b> 5	100
	Caddo	14	31,996	-	-	78	12	1	2	7	-	100
	Canadian	3	3,616	-	-	70	-	7	5	-	18	100
	Comanche	3	2,150	-	-	61	_	29	-	-	10	100
	Custer	4	10,446		-	84	6	8	2	-	-	100
	Grady	5	8,165	-	-	69	28	3	-	-	-	100
	Greer	7	14,802	-	1	85	-	3	6	-	5	100
	Harmon	6	13,583		-	30	-	23	5	1	41	100
	Jackson	. 11	29,893	37	-	50	-	7	2	-	4	100
	Kiowa	8	26,927	**	-	95	1	1	3	-	-	100
۰	Roger Mills	3	2,471	_	-	43	22	-	5	23	7	100
	Tillman	12	29,557	_	-	74	-	15	11	-	-	100
	Washita	10	32,858	1-	-	82	-	-	-	3	15	100
	All other	5	5 <b>,05</b> 5	-	- 1	42	6	1	-	2	49	100
	Total	105	238,833	5	•	71	4	6	3	2	9	100
Ш												
Ξ	exas:											
		_										
	Briscoe	7	13,306	-	-	27	13	-	-	20	40	100
	Childress	4	13,976	-	-	35	-	_	28	-	37	100
	Collingsworth Cottle	6	20,682	-	25	48	3	7	8	4	5	100
		6	8,074	-	_	81	-	-	7	7	5	100
	Donley	3	6,252	-	5 <b>7</b>	3	-	3	-	13	24	100
	Foard	3	2,789	-	_	39	_	4	57	_	-	100
	Hall	12	33,724	-	4	47	5	4	5	5	30	100
	Hardeman	5	8,409	-	-	79 -	-	8	13	-	-	100
	Motley	4	6,129	3	-	5	49	3	<b>-</b>	10	30	100
	Wheeler	7	8,666	-	31	23	24	5	-	12	5	100
	Wilbarger	9	17,473	-	-	30	-	34	4	-	32	100
	All other	3	6,124	-	-	77	-	2	8	-	-	100
	m-4-7	60	1.45 .004	•	_	4.0		_	_	_		7.00
	Total	69	145,604	•	9	42	6	9	9	5	20	100
~	2000											
	lassing	274	204 427			60	4	-	_	4	2.4	2.00
J	ffice Total	174	384,437	3	3	60	4	7	5	4	14	100

Less than 0.5 percent.

Table 19. Dallas Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1970

		<del></del>			1	1					
State		1969	Delta-	Delta-	Lankart	Lankart	Lankart	Lockett	Pay-	Other	
and	Gins	Ginnings	pine	pine	57	611	3840	4789	master	Ounci	Total
County		4111111100	16	Sm. Lf.			30.0	1705	202		
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Texas:											
		4 505	4.5	0.0							3.00
Bowie	3	4,595	46	32	-	-	-	-	-	22	100
Collin	17	19,237	-		99	-	-	-	- T	1	100
Delta	5	6,844	-		95	-	-	3	-	2	100
Ellis	23	28,243	-	-	99	-	-	-	-	1	100
Fannin	9	7,822	-	2	95	-	1	1	-	1	100
Grayson	5	4,705	-	-	97	-	-	2	-	1	100
Hill	18	25,503	-	-	99	-	-		-	1	100
Hunt	11	12,600	-	-	97	-	1	1	-	1	100
Johnson	5	6,792	-	-	99	-	-	-	-	1	100
Kaufman	6	7,801	-	-	99	-	-	-	-	1	100
Lamar	6	6,922	-		74	-	13	12	-	1	100
Navarro	10	13,216	-	-	99	-	-	-	-	1	100
Rockwall	5	4,212	-	-	96 '	1	-	3	-	-	100
Tarrant	3	3,488	-	-	97	-	2	-	-	1	100
All other	16	15,101	-	-	58	18	3	-	-	21	100
						€.					
Total	142	167,081	1	1	91	2	1	1	-	3	100
Oklahoma:											
Bryan	3	2,598	_	-	45	_	_	_	_	55	100
Muskogee	4	5,274	13	52	7	_	_	7	_	21	100
All other	19	24,301	10	_	37	20	2	3	14	14	100
Total	26	32,173	10	9	33	15	1	3	10	19	100
Classing											
Office Total	168	199,254	3	2	82	4	1	1	2	5	100
		233,207		_	02	7	1	1	2	5	100

Table 20. Austin Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1970

State and County	Gins	1969 Ginnings	Anton 99	Delta- pine 16	Delta- pine Sm. Lf.	Lankart 57	Lankart 3840	Stone- ville 7A	Stone- ville 213	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Morroge											
Texas: Austin	8	3,771	7	17	_	3.0				_	
Bell	13	12,413	2	1/	6	13	-	16	34	7	100
Brazoria	5	6,652	۷	<b>5</b> 5	-	81	3	-	-	14	100
Brazoria	5	· ·	- 0	79	3	-	-	33	9	-	100
Burleson	5 5	16,427	-	/9 9	- 1	-	-	-	21	_	100
		11,456	40		-	-	2	21	67	1	100
Caldwell	3	2,688	43	_	-	22	19	-	-	16	100
Colorado	3	4,443	9	4	8	11	-	31	34	3	100
Coryell	3	2,167		-	-	98	-	-	-	2	100
Falls	7	5,942	4	-	-	73	-	-	10	13	100
Fayette	4	1,804	14	1	<del>-</del>	70	-	-	-	15	100
Fort Bend	15	23,709	-	37	18	-	-	25	16	4	100
Guadalupe	4	1,980	14	-	-	61	5	-	-	20	100
Houston	3	2,999	-	22	-	<b>-</b>	-	70	-	8	100
Lavaca	6	1,755	38	-	· <b>-</b>	41	-	-	-	21	100
McCulloch	4	4,327	-	-	-	20	12	-	-	68	100
McLennan	14	15,699	6	-	-	81	4	-	-	9	100
Milam	8	10,889	5	-	-	64	23	-	-	8	100
Robertson	5	23,154	-	17	-	-	-	6	74	3	100
Travis	4	6,099	10	-	-	80	-	-	-	10	100
Washington	5	2,572	3	8	9	27	-	3	43	7	100
Williamson	25	44,271	6	-	-	84	1	-	-	9	100
Zavala	.3	6,295	-	52	28	-	-	-	5	15	100
All other	21	12,268	3	29	-	41	4	3	8	12	100
Classing						•					
Office Total	173	223,780	4	18	3	41	3	7	18	6	100

Table 21. Corpus Christi Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1970

State and County	Gins	1969 Ginnings	Delta- pine 16	Delta- pine Sm. Lf.	Lankart 611	Lankart 3840	Stone- ville 7A	Stone- ville 213	TPSA 110	Other	Total
,	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Texas:											
Calhoun	5	6,756	61	-	-	-	14	24	1	-	100
Jackson	5	5,068	44	19	-	-	24	7	1	5	100
Jim Wells	4	3,038	-	_	43	17	-	2	7	31	100
Karnes	3	963	-	-	10	13	-	-	-	<b>7</b> 7	100
Matagorda	7	7,231	41	27	-	-	26	4	-	2	100
Nueces	24	49,173	-	-	12	5	33	31	2	17	100
Refugio	4	7,712	-	-	4	15	14	63	-	4	100
San Patricio	18	46,940	3	-	35	15	23	22	-	2	100
Victoria	6	4,086	8	-	3	4	22	21	18	24	100
Wharton	19	34,428	34	9	-	-	35	9	1	12	100
All other	6	6,071	19	-	4	16	19	14	2	26	100
Classing											
Office Total	101	171,466	15	3	15	7	28	22	1	9	100

Table 22. Harlingen Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1970

State and County	Gins	1969 Ginnings	Delta- pine 16	Lankart 3840	Lockett 4789	Stone- ville 7A	Stone- ville 213	TPSA 109	TPSA 110	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Texas:											
Cameron	29	113,846	8	-	-	67	16	3	5	1	100
Hidalgo	26	131,931	1	1	-	56	25	-	15	2	100
Willacy	10	54,132	2	-	-	56	36	-	6	11-	100
All other	1	4,369	-	3	1	-	96	-	-	-	100
Classing											
Office Total	66	304,278	4	*	•	60	25	. 1	9	1	100

<sup>\*</sup> Less than 0.5 percent.

Table 23. Abilene Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1970

State and County	Gins	1969 Ginnings	Lankart 57	Lankart 611	Lankart 3840	Lockett 4789	Northern Star 5	Westburn	Western Storm- proof	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Texas:											
Coleman	3	5,679	84	6	-	2	4	-	4	-	100
Dickens 1/	5	9,451	67	7		-	-	-	2 .	24	100
Fisher	8	17,684	14	2	-	-	9	32	27	16	100
Haskell	12	36,378	94	-	2	-		-	-	4	100
Howard 2/	9	20,416	-	-	-	4	41	-	54	1	100
Jones	14	43,478	79	18	-		-	-	-	3	100
Knox	8	8,022	38	1	22	2	-	-	-	38	100
Martin 2/	7	33,243	-	-	2	33	2	-	37	26	100
Mitchell	7	19,095	9	14	2	5	2	-	65	3	100
Nolan	6	16,323	3	-	-		4	-	81	12	100
Runnels	12	29,799	69	11	3	13	-	-	3	1	100
Scurry 1/	7	23,263	3	9	-	2	22	-	50	14	100
Taylor	5	7,190	60	26	4	10	-	-	-	-	100
Tom Green	7	25,653	87	8	1	2	-	-	2	-	100
All other	16	35,924	60	13	-	3	-	21	3	-	100
Classing											
Office Total	126	331,598	47	8	2	6	5	2	23	7	100

A portion of this county is served by Lubbock Classing Office and is included in the data for "all other".

<sup>2/</sup> A portion of this county is served by Lubbock Classing Office.

Table 24. Lubbock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1970

State		1969	Coker	Lankart	Pay-	Pay-	Pay-	Rilcot	Stripper	Other	
and	Gins	Ginnings	4104	57	master	master	master	90	31	Other	Total
County		GIIIIIII	4104	37	111	202	909	30	31		
	<u>No.</u>	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Texas:											
Bailey	18	45,089	-	-	1	10	-	9	36	44	100
Castro	15	22,683	-	-	3	49	-	10	6	32	100
Cochran	12	36,214	-	-	18	3	-	56	5	18	100
Crosby	20	78,759	23	10	18	5	16	-	12	16	100
Dawson	25	133,527	3	2	23	4	-	-	1	67	100
Floyd	21	62,802	-	7	42	-	1	-	-	50	100
Gaines	19	<b>7</b> 9,355	4	2	16	3	-	14	13	48	100
Garza	6	15,901	6	13	38	11	11	-	-	21	100
Hale	35	79,073	1	2	30	3	6	5	16	37	100
Hockley	34	132,718	-	• 5	37	2	4	12	12	28	100
Howard 1/	3	7,258	-	-	-	-	-	-	-	100	100
Lamb	31	67,754	1	1	8	12	2	17	13	46	100
Lubbock	40	173,086	19	8	27	-	16	-	15	15	100
Lynn	24	150,568	4	13	19	5	5	-	1	53	100
Martin 1/	4	17,095	-	-	2	15	-	4	-	79	100
Parmer	16	32,367	_	-	12	7	-	24	5	52	100
Swisher	13	22,939	2	_	25	4	-	1	44	24	100
Terry	21	90,954	4	31	32	6	-	-	2	25	100
Yoakum	9	35,322	33	_	_	_	-	-	-	67	100
All other	5	12,127	-	19	23	8	1	-	_	49	100
<b>N22</b> 0 0.101											
Total	371	1,295,591	6	7	24	5	5	6	10	37	100
10041	0,1	1,250,051		·							
New Mexico:											
Roosevelt	5	4,482	4	1	5	28	_	34		28	100
All other	1	1,151	4	Τ.	60	20	_	30		10	100
ATT Other	_	1,101	_	-	00	_	_	30	_	10	100
Total	6	5,633	3	1	16	22	_	32	-	26	100
		7,500									
Classing											
Office Total	377	1,301,224	6	7	23	5	5	6	9	39	100

<sup>1/</sup> A portion of this county is served by Abilene Classing Office.

Table 25. El Paso Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1970

				OPOUL	فالتياضان	TITE CLES	, 23 000		Grob Or		
State and County	Gins	1969 Ginnings	Acala 1517C	Acala 1517D	Acala 1517V		Delta- pine 16	Hopi- cala	Stone- ville 213	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Texas</u> :											
El Paso	10	39,125	37	12	34	-	3	10	-	4	100
All other	5	12,467	48	1	1	-	13	2	-	35	100
Total	15	51,592	40	9	26	-	6	8	-	11	100
New Mexico:											
Dona Ana	13	26,292	17	11	48	1	-	10		13	100
Luna	4	19,121	18	20	46	4	-	10	-	2	100
All other	4	10,329	20	28	38	14	-	-	-	-	100
Total	21	55,742	18	17	45	5	-	8	*	7	100
Arizona:											
Cochise	6	21,129	34	45	2	*	2		10	7	100
All other	3	17,103	14	38		-	40	8	-	-	100
Total	9	38,232	25	42	1	*	19	4	6	3	100
Classing											
Office Total	45	145,566	27	21	27	2	7	7	2	7	100

<sup>\*</sup> Less than 0.5 percent.

Table 26. Carlsbad Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1970

State and County	Gins	1969 Ginnings	Acala 1517BR2	Acala 1517C	Acala 1517D	Acala 1517V	Delta- pine 16	Stone- ville 7A	Stone- ville 213	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
New Mexico:											
Chaves	8	31,299	3	21	15	47	*	*	6	8	100
Eddy	8	30,688	9	25	17	32	4	-	2	11	100
Lea	7	17,160	31	-	-	1	-	1	-	67	100
Total	23	79,147	12	18	13	31	2	•	3	21	100
Texas:											
Glasscock	3	9,935	13	-	-	1	-	8	-	78	100
Pecos	6	15,926	-	50	-	-	19	15	3	13	100
Reeves	11	55,856	10.3	28	-		18	<b>1</b> 5	16	23	100
All other	1	1,515	-	-	-	-	-	-	3	97	100
Total	21	83,232	2	29	-	*	15	14	11	29	100
Classing											
Office Total	44	162,379	6	23	6	15	9	7	7	27	100

<sup>\*</sup> Less than 0.5 percent.

Table 27. Phoenix Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1970

State and County	Gins	1969 Ginnings	Acala 1517V	Del Cerro	Delta- pine	Delta- pine Sm. Lf.	Hopi- cala	Stone- ville 7A	Stone- ville 213	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pet.	Pct.	Pct.	Pct.
Arizona:											
Maricopa	42	227,881	-	2	98	-	_	_	*	_	100
Pima	7	28,965	4	-	86	_	7	2	1		100
Pinal	38	202,939	-	-	92	1	-	-	7	*	100
Yuma 1/	4	30,116	-	-	100	-	-	-	-	-	100
Classing Office Total	91	489,901	*	1	96	*	*	*	3	*	100

<sup>1/</sup> A portion of this county is served by El Centro Classing Office.

Table 28. Fresno Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1970

State and County	Gins	1969 Ginnings	Acala 4-42	Acala SJ-1				<b>#</b>			Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
California:											
Fresno	72	355,554	26	74	-	_	-	-	-	-	100
Kings 1/	8	43,169	11	89	-	-	_	_	-	_	100
Madera	13	56,922	7	93	-	-	_		-	_	100
Merced	10	54,381	22	78	-	-	***	-	-	-	100
Tulare 1/	7	38,413	17	83	-	-	_	_		_	100
Classing											
Office Total	110	548,439	22	78	••	-	_	-	-	-	100

<sup>1/</sup> A portion of this county is served by Bakersfield Classing Office.

<sup>\*</sup> Less than 0.5 percent.

Table 29. Bakersfield Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1970

State and County	Gins	1969 Ginnings	Acala 4-42	Acala 1517C	Acala 1517D	Acala 1517V	Acala SJ-1				Total
	No.	<u>Bales</u>	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
California:											
Kern	54	379,872	8	-	-	-	92	_	-	-	100
Kings 1/	14	122,578	1	-	-	-	99	-	-	-	100
Tulare 1/	28	152,113	4	-	-	-	96	-	-	-	100
Total	96	654,563	6	<u>.</u> .	-	-	94	-	-	-	100
Nevada:											
Total	1	3,241	-	9	2	9	80	-	-	-	100
Classing Office Total	97	657,804	6	*	*	*	94	-	-	-	100

<sup>1/</sup> A portion of this county is served by Fresno Classing Office.

Table 30. El Centro Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1970

State and County	Gins	1969 Ginnings	Delta- pine 16	Delta- pine Sm. Lf.	Imperial Acala	ville 213	ville 508				Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
California:											
Imperial	15	82,016	93	3	*	1	3	-	-	-	100
Riverside	5	49,228	100	*	-	*	-	-	-	-	100
Total	20	131,244	96	2	*	*	2	-	-	-	100
Arizona:											
Yuma <u>l</u> /	9	60,992	93	7	-	-	-	-	-	-	100
Total	9	60,992	93	7	-	-	-	-	-	-	100
Classing Office Total	29	192,236	95	4	*	*	1	-	-	-	100

<sup>1/</sup> A portion of this county is served by Phoenix Classing Office.

<sup>\*</sup> Less than 0.5 percent.

<sup>\*</sup> Less than 0.5 percent.

Table 31. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, 1966-1970

								/	
Stat		AP	Pima	Pima	Pima	Pima	Pima	Other	Classic
and	A 10	ginnings	S-1	S-2	S <b>-</b> 3	S-4	Stroman	, Andali	Total
Yea	r	31	200			4 4400000	Select	Anno	
		Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Arizona		06.176		X202 (22.50)		-			700
1966		36,176	3	95	1	1	-	-	100
1967		34,416	1	53	9	37	-	-	100
1968		44,267	- 0.5	18	9	73	_	-	100
1969		35,892	- U.	5	9	86	-	-	100
1970		-	-	11	4	85	-	-	100
Californ	ia								Solvey New
1966	8	585	32	100	e _	0.4.8	0-	-	100
1967		402	_	80	_	20	_	_	100
1968		785	_	_	_	100	-	-	100
1969		1,695	_	_	_	100	_	-	100
1970		30_	0.5	8.	. 42	28,219	8 -	-	EE Paso
1970									
New Mexi	00								
1966	CO	8,639	34	57	3	ETT 85	6	1111	100
1967		6,521	19	46	20	_	15	_	100
1968		6,703	11	41	37	4	6	1	100
1969		6,456	1	41	42	14	2	- 10	100
1909		0,430	_	13	46	33	8	_	100
1970		_		and the said	hedstaet	00			
Токос									
Texas 1966		25,754	29	66	5	_	_	_	100
1967		26,983	14	63	23	_	_	_	100
1968		26,427	6	62	23	8	- J	1	100
1969		32,795	2	45	29	24	_	_	100
		32, 793	*	9	- 8	83	e -	_	100
1970				9	C				2010
United S	tates								
1966		71,154	16	80	2	1	1	-	100
1967		68,322	8	56	15	19	2	*	100
1968		78,182	3	38	17	41	1	*	100
1969		76,838	- 1	22	19	58	*	-	100
1970		B0 -	*	10	9	80	21	-	100
.000		100				4			y and the

<sup>\*</sup> Less than 0.5 percent.

Table 32. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing office territories, crop of 1970

Classing	71 7 7 7 7 7 7 7 7 7 7 7	NOTE OF	1969	Pima	Pima	Pima	Pima	Stroman	
territ		Gins	A P	S-1	S-2	S-3	S-4	Select	Total
and Cou	nty		ginnings		~ _			Pima S-3	9
		No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
				El Paso	territory				
Arizona:									
Graham		2	13,337	9-	15	10	75	- 3	100
New Mexico:									
Dona Ana		6	6,456		13	46	33	8	100
Texas:									
El Paso		8	22,819		8	10	82		100
Hudspeth		2	554	2	23	6	69	-	100
Total		10	23,373	*	8	10	82	-	100
Classing									
Office Total		18	43,166	*	11	15	73	1	100
					see Times				
				Carlsbad	territory				
m									
Texas:									
			0.400			an Hann	589,83		1907
Reeves		2	9,422		10	5	85	ata Torre	100
m			0.400						4867
Total		2	9,422	15 -	10	5	85	-	100
				71					
				Phoenix	territory				
A									
Arizona:									
Montage		7	10 400		*		100		100
Maricopa Pima		7	12,492				100		100
Pinal		3	4,191	-	32	-	68	-	100
		5	5,872	-	9		91		100
Yuma		1		-		-	100	-	100
Total.		3.6	22 EEE		0		0.3		300
Total		16	22,555	-	9	-	91	es than D.	100

<sup>\*</sup> Less than 0.5 percent.

